


Strauss Deutschland GmbH & Co.KG
Frankfurter Straße 98 - 108

63599 Biebergemünd



Documentation

**OCI –
Interface**

Table of contents

Table of contents	2
1 Introduction & URL	3
2 Preparation for you as a customer	4
2.1 OCI fields and special features	5
2.1.1 NEW_ITEM-UNIT[1]	5
2.1.2 NEW_ITEM-VENDORMAT[1] and NEW_ITEM-EXT_PRODUCT_ID[1].....	5
2.1.3 NEW_ITEM-PRICE[1] and NEW_ITEM-CURRENCY[1]	5
2.1.4 Classification with NEW_ITEM-EXT_SCHEMA_TYPE[1] and NEW_ITEM-EXT_CATEGORY_ID[1]	6
2.1.5 NEW_ITEM-MANUFACTCODE[1].....	6
2.1.6 NEW_ITEM-CUST_FIELDn [1-5].....	6
2.1.7 NEW_ITEM-LEADTIME[3].....	6
2.2 Webshop user account	6
2.3 Configuring your system to access the Engelbert Strauss webshop	6
2.4 HOOK_URL.....	7
2.5 Parameter list	7

1 Introduction & URL

Engelbert Strauss offers the possibility of an OCI interface between your system and the Engelbert Strauss webshop. We support the following version:

- OCI Standard 4.0
- Product classification eClass 8.1

We have had a good experience with the latest versions of the following browsers:

- Google Chrome
- Safari
- Mozilla Firefox
- Microsoft Edge

Please note that we no longer support the following browsers:

- Internet Explorer

This OCI URL will take you directly to the Engelbert Strauss webshop:

Shop	HTTP POST URL	HTTP GET URL
Germany	https://www.strauss.com/de/de/OCI/Start	<a href="https://www.strauss.com/de/de/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/de/de/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>
Austria	https://www.strauss.com/at/de/OCI/Start	<a href="https://www.strauss.com/at/de/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/at/de/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>
Switzerland	https://www.strauss.com/ch/de/OCI/Start	<a href="https://www.strauss.com/ch/de/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/ch/de/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>
Poland	https://www.strauss.com/pl/pl/OCI/Start	<a href="https://www.strauss.com/pl/pl/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/pl/pl/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>
United Kingdom	https://www.strauss.com/uk/en/OCI/Start	<a href="https://www.strauss.com/uk/en/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/uk/en/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>
Belgium	https://www.strauss.com/be/nl/OCI/Start	<a href="https://www.strauss.com/be/nl/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/be/nl/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>
Netherlands	https://www.strauss.com/nl/nl/OCI/Start	<a href="https://www.strauss.com/nl/nl/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/nl/nl/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>
Denmark	https://www.strauss.com/dk/da/OCI/Start	<a href="https://www.strauss.com/dk/da/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/dk/da/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>
Italy	https://www.strauss.com/it/it/OCI/Start	<a href="https://www.strauss.com/it/it/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>">https://www.strauss.com/it/it/OCI/Start?Username=<username>&Password=<password>&HOOK_URL=<returnAdress>

2 Preparation for you as a customer

The two example records below list the possible transferable fields. Optional fields are marked in blue:

Sample record 1	
NEW_ITEM-DESCRIPTION[1]	e.s. 01 Berufsschuhe Tethys mid, 37
NEW_ITEM-LONGTEXT_1:132[]	e.s. 01 Berufsschuhe Tethys mid, kastanie/seegrün, 37
NEW_ITEM-QUANTITY[1]	1
NEW_ITEM-VENDORMAT[1]	86793-766-581
NEW_ITEM-EXT_PRODUCT_ID[1]	86793-766-581
NEW_ITEM-CURRENCY[1]	EUR
NEW_ITEM-PRICE[1]	89.90
NEW_ITEM-UNIT[1]	PR
NEW_ITEM-EXT_SCHEMA_TYPE[1]	eCLASS-8.1
NEW_ITEM-EXT_CATEGORY_ID[1]	40011302
NEW_ITEM-MANUFACTCODE[1]	E.Strauss
NEW_ITEM-CUST_FIELD1	0.19
NEW_ITEM-CUST_FIELD2[1]	37
NEW_ITEM-CUST_FIELD3[1]	kastanie/seegrün
NEW_ITEM-CUST_FIELD4[1]	Optional additional text (fix value)
NEW_ITEM-LEADTIME[1]	3
Sample record 2	
NEW_ITEM-DESCRIPTION[2]	Jeans e.s.motion denim, 42
NEW_ITEM-LONGTEXT_2:132[]	Jeans e.s.motion denim, stonewashed, 42
NEW_ITEM-QUANTITY[2]	1
NEW_ITEM-VENDORMAT[2]	95909-323-225
NEW_ITEM-EXT_PRODUCT_ID[2]	95909-323-225
NEW_ITEM-CURRENCY[2]	EUR
NEW_ITEM-PRICE[2]	46.90
NEW_ITEM-UNIT[2]	PCE
NEW_ITEM-EXT_SCHEMA_TYPE[2]	eCLASS-8.1
NEW_ITEM-EXT_CATEGORY_ID[2]	40010102
NEW_ITEM-MANUFACTCODE[2]	E.Strauss
NEW_ITEM-CUST_FIELD1[2]	0.19
NEW_ITEM-CUST_FIELD2[2]	42
NEW_ITEM-CUST_FIELD3[2]	stonewashed
NEW_ITEM-CUST_FIELD4[2]	Optional additional text (fix value)
NEW_ITEM-LEADTIME[2]	3

2.1 OCI fields and special features

2.1.1 NEW_ITEM-UNIT[1]

The following ISO codes of the corresponding units will be transferred by Engelbert Strauss:

ISO	Text
BG	bag
BX	box
C62	one
C62	piece
CMT	cm
CS	case
CT	carton
GRM	g
KGM	kg
LTR	L
MLT	ml
MMT	mm
MTR	meter
NMP	number of packs
PK	pack
PR	pair
RO	roll
SA	sack
SET	set
ST	sheet
TN	tin

We ask you as a customer to inform us if and which ISO codes in your system differ from the above-mentioned ISO codes. A popular example is the ISO code for the unit "piece". This can be PCE for peace, C62, STK or others. Engelbert Strauss can map the ISO codes to your requirements. Upon request, you will receive the codes that you can process in your system.

2.1.2 NEW_ITEM-VENDORMAT[1] and NEW_ITEM-EXT_PRODUCT_ID[1]

The article number is transferred here. In both fields these are identical.

2.1.3 NEW_ITEM-PRICE[1] and NEW_ITEM-CURRENCY[1]

The price is always transferred in € and is marked with a decimal point, for example, €22.09 is transferred in the NEW_ITEM-CURRENCY[1] field.

2.1.4 Classification with NEW_ITEM-EXT_SCHEMA_TYPE[1] and NEW_ITEM-EXT_CATEGORY_ID[1]

NEW_ITEM-EXT_SCHEMA_TYPE[1] contains the classification scheme that is used. Engelbert Strauss currently supports the eClass classification system. eClass is currently used in version 8.1. Either eClass or UNSPSC could be transferred as classification standard via these two entries where UNSPSC is NOT supported, yet. NEW_ITEM-EXT_CATEGORY_ID[3] then contains the actual eClass code and has the format "40907010".

OPTIONAL: If desired, please inform us which string should be written into the NEW_ITEM-EXT_SCHEMA_TYPE[1] field. We suggest using the corresponding eClass version. The content of this field is user-definable.

2.1.5 NEW_ITEM-MANUFACTCODE[1]

NEW_ITEM-MANUFACTCODE[1] always contains "E.Strauss" as the manufacturer's name.

2.1.6 NEW_ITEM-CUST_FIELDn [1-5]

These are customizable fields. The following information can be transferred there:

- VAT rate (0.19)
- Size (of the product)
- Color (of the product)
- Optional fixed value

2.1.7 NEW_ITEM-LEADTIME[3]

The item availability is transferred here. The value represents the number of working days of the expected delivery time. It contains the pure item delivery time without possible product refinements such as logos/ names etc.

2.2 Webshop user account

You need a webshop account to transfer the basket into your system. Please contact us, therefore.

2.3 Configuring your system to access the Engelbert Strauss webshop

The OCI link to the webshop is <https://www.engelbert-strauss.de/OCI/Start>

The login and password parameters are transferred via HTTP POST.

IMPORTANT: Internet Explorer is not supported anymore. Many SAP installations still use that browser. Please consult your IT about this.

2.4 HOOK_URL

The so-called HOOK_URL represents the return address in the destination system. You need to set this in your system accordingly.

The return address differs depending on where you are accessing from in your system. The following methods are supported:

- 1) Windows SAP Client
- 2) SAP Web Client / browser application

The HOOK_URL settings differ by the used method. Please see the specifications of your system for the correct procedure.

2.5 Parameter list

List of possible parameters

Parameter	Description
Username	Webshop account's username
Password	Corresponding password for used webshop account
HOOK_URL	Return URL of calling system